Children, COVID, and the urgency of normal

An advocacy toolkit for parents, students, mentors, teachers, and administrators.

"18 months ago it was irresponsible and wrong to say:

- Covid is similar to the flu
- Many people hospitalized or dying just have positive tests, are not sick from Covid
- It's most important to protect the vulnerable

Omicron is different. Now, that's basically correct.

Covid is adapting to us, we need to adapt."

-Former CDC Director Tom Frieden
January 7, 2022



Our team



Dr. Scott Balsitis started his career in virology as an Emerging Infectious Diseases Fellow at the CDC studying pandemic preparedness. He earned his PhD in Virology at the University of Wisconsin-Madison and completed a Fellowship at the University of California, Berkeley. He has 22 years of experience in virology research, including on vaccines and therapeutics against HIV, Hepatitis B, RSV, Influenza, COVID-19, and other viruses.



Dr. Lucy McBride is a Harvard- and Johns Hopkins-educated internal medicine physician, mental health advocate, and author of a popular COVID-19 newsletter. She has written and spoken extensively about the inseparability of mental and physical health during the pandemic, has articles featured in *The Washington Post* and *USA Today*, and is a regular contributor to *The Atlantic*.



Dr. Jeanne Noble is Associate Professor of Emergency Medicine at the University of California, San Franisco, and Director of COVID Response for the UCSF Parnassus Emergency Department. She has written about COVID policy and the impacts on children for *The Washington Post*, *The Wall Street Journal*, *Time*, *The Los Angeles Times*, and *The San Francisco Chronicle*.



Dr. Tracy Beth Hoeg is a PM&R physician affiliated with the University of California-Davis, and an epidemiologist studying COVID transmission in schools. She was senior author on one of the earliest studies on COVID in schools, recently testified before Congress on the impacts of COVID and COVID policies on children, and is currently leading a study on the effectiveness of school COVID mitigation policies.



Dr. Kwadwo Kyeremanteng is the department head of critical care at The Ottawa Hospital. He dedicates his time to care for the sickest of the sick patients in the intensive care unit (ICU). During the COVID-19 pandemic Dr. Kyeremanteng created 'Solving Wellness,' a virtual health & wellness platform for health care professionals. 'Solving Wellness' has been helping address health care burnout and providing health, fitness and self care for its members.



Dr. Vinay Prasad is a graduate of the University of Chicago Pritzker School of Medicine, and earned an MPH from the Johns Hopkins Bloomberg School of Public Health. He is a hematologist-oncologist and Associate Professor in Epidemiology and Biostatistics working in San Francisco. Dr. Prasad studies the quality of medical evidence, trial design, and health care policy.



Dr. Jennifer Grant is a Clinical Associate Professor at University of British Columbia. She practices as a medical microbiologist and infectious disease physician in Vancouver with research interests in quality improvement, infection control and occupational health.



Dr. Martha Fulford is an infectious diseases specialist in Hamilton, Ontario working predominantly with children. She has been working with the 21CQ Worldwide Commission to Educate All Kids (post pandemic) with a focus on strategies for re-integrating children now ousted from the education system. She has been published in major Canadian newspapers highlighting the impact of COVID policies on children and the importance of a return to normal in-person education.

Our team: Pediatrics



Dr. Kory Stotesbery is a pediatric psychiatrist trained at Thomas Jefferson University, Children's National Medical Center, and the Washington Baltimore Center for Psychoanalysis with experience in inpatient, outpatient, residential, and emergency care, with a particular interest in eating disorders.



Dr. Nicole Johnson is an Assistant Professor of Pediatrics at Case Western Reserve University School of Medicine. She is trained in pediatric critical care and specializes in pediatric procedural sedation. She is passionate about restoring the patient-physician relationship, and the equitable delivery of safe, quality, low-cost medical care.



Dr. Kristen Walsh is a board-certified pediatrician in northern NJ. She has over 20 years of clinical experience in both academic and private practice settings. For the past 10 years, she has volunteered at a school for special needs children and been involved in early childhood advocacy on both the state and national levels.



Dr. Eliza Holland is a pediatric hospitalist practicing in Charlottesville, VA. She has been supporting COVID response to enable in-person activities for students at summer camps in North Carolina and schools in Virginia.



Dr. Ram Duriseti received his MD from the University of Michigan and his medical training and PhD in Computational Decision Modeling from Stanford University. He has been practicing clinical Emergency Medicine in both community and academic settings for over 20 years. At Stanford, he primarily works in the Pediatric Emergency Department.



Dr. Todd Porter received his MD from the University of Virginia School of Medicine and MSPH from the University of Colorado. He is a community pediatrician in Illinois whose interests include literacy instruction and dyslexia. He has been advocating for the importance of in-person learning and return to normalcy for our children since 2020.



Dr. Carol Vidal is an assistant professor and psychiatrist who specializes in child and adolescent psychiatry. She works clinically in schools in Baltimore, Maryland and her research focuses on cannabis use, depression and suicide in adolescents. She has written and spoken about the mental health and academic impact of COVID-related restrictions on children and adolescents and advocated for school openings since the beginning of the pandemic.



Dr. Sebastián González-Dambrauskas is a pediatric intensivist and Co-Chair of World Federation of Pediatric Intensive and Critical Care Societies (WFPICCS) Research Committee. He is Adjunct Professor of Pediatric Critical Care in the Faculty of Medicine, Universidad de la República (Montevideo, Uruguay) and works taking care of critically ill children. During the pandemic, he has performed research on both severe pediatric COVID19 and school closures.

About this toolkit

This toolkit is intended to help everyone who needs to make evidence-based decisions for pre-K and K-12 schools and extracurricular activities. It summarizes the most important data regarding COVID and children of all ages so you can be empowered.

It is intended for parents, students, mentors, teachers, administrators, and everyone invested in taking the best possible care of our children. Please share and discuss within your communities, and use it to help inform and focus discussions with your school.

We highly encourage vaccination for those still at high risk.

We urge everyone to have discussions with openness and mutual respect. The job of being a teacher, school administrator, parent, or student has been exceptionally difficult these last two years. Understand that if you're frayed, so is the person you're talking to. Compassion and accurate information will move us forward.

As scientists and physicians, our role is to **inform** you with accurate data, give it **context** you can understand, and provide **guidance** about confusing issues. Impacts from COVID and mental health vary among different communities, schools, families, and individual children. We humbly acknowledge this, and provide these data to support every community in making their **own decisions**.

Children, COVID, and schools

COVID poses little risk of serious disease for most students, and vaccines are available for school-aged children.

- COVID is a flu-like risk for unvaccinated children. Extraordinary measures in schools are not justified.
- Vaccinated children have almost no risk of severe disease. Omicron does not change this.
- Teachers remain well protected by vaccination, with boosters important in older age groups.

Protecting the mental, social, and emotional health of students is paramount.

• Children are experiencing alarming levels of anxiety, depression, and eating disorders, and suspected suicide attempts.

Focused protection strategies can protect the vulnerable without harming students' overall wellbeing.

Preserving in-person learning and de-escalating fear are the best responses to Omicron.

- Maintaining in-person learning is critical for protecting our students.
- There is no scientific justification for treating students differently based on vaccination status.
- Escalating COVID rules are harmful. Normalize the daily school experience as much as possible.

To protect our children, an urgent return to fully normal schooling is needed.


COVID is a flu-like risk to unvaccinated children

CDC data show that annual pediatric mortality from COVID is similar to that of the flu in unvaccinated children^{1,2}

Summary of CDC data on 0-17 year olds:

Long COVID is not a major risk to children

• Studies consistently find that post-infection symptoms are similar in children who had COVID and children who had other, non-COVID infections.^{3a,3b}



US annual pediatric mortality

¹https://www.cdc.gov/nchs/nvss/vsrr/covid_weekly/index.htm

²https://www.cdc.gov/flu/about/burden


^{3a}https://doi.org/10.1016/j.jinf.2021.11.011

³bhttps://link.springer.com/article/10.1007%2Fs00431-021-04345-z

COVID risk to vaccinated healthy children is even lower

With severe disease risk from COVID already very low for healthy children, vaccines drive the risk to nearly zero.⁴

- Data from the Delta surge shows risk by age and vaccination status.
- Chart shows data from 930,000 total cases, including 411,000 cases in children.
- In vaccinated children, there were zero deaths and almost no hospitalizations.




⁴https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/1029606/Vaccine-surveillance-report-week-43.pdf

⁵https://www.nytimes.com/2021/10/12/briefing/covid-age-risk-infection-vaccine.html

Vaccines remain highly effective against severe disease with Omicron

With Omicron, vaccines have lost most of their effectiveness against mild disease. Expect many cases. Efficacy vs. severe disease remains high, and Omicron is less pathogenic. Cases will be overwhelmingly mild.

The UK reported data by age and vaccination status in December, during massive Omicron spread:⁷



In vaccinated people under age 60, Omicron deaths are extremely rare or absent. Note that no UK children are boosted. The protection shown here is achieved with two doses.

⁶https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/1044481/Technical-Briefing-31-Dec-2021-Omicron_severity_update.pdf
7https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/1045329/Vaccine_surveillance_report_week_1_2022.pdf


Teachers, staff, and family members are well-protected by vaccination, with a booster dose important for older age groups

In the previous slide, we see some risk remaining in older age groups, where there is a substantial decline in 2-dose vaccine efficacy against severe Omicron.

Hospitalization risk is low with a booster dose

- Third vaccine dose restores protection against hospitalization to 75-90%.^{8,9,10}
- Weekly COVID hospitalization rates are shown for those over age 65 by vaccine status.¹¹
- Rate is 5-10 per 100,000 people if boosted. For comparison, with influenza this number typically peaks at 10-50 per 100,000 people over age 65.¹²

Rates of COVID-19-Associated Hospitalizations by Vaccination Status in Adults Ages ≥65 Years, October–December 2021



⁸https://www.gov.uk/government/news/boosters-continue-to-provide-high-levels-of-protection-against-severe-disease-from-omicron-in-older-adults

⁹https://www.cdc.gov/mmwr/volumes/71/wr/pdfs/mm7107e2-H.pdf

¹⁰https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment data/file/1054071/vaccine-surveillance-report-week-6.pdf


¹¹https://covid.cdc.gov/covid-data-tracker/#covidnet-hospitalizations-vaccination

¹²https://gis.cdc.gov/GRASP/Fluview/FluHospRates.html

Protecting the mental, social, and emotional health of students should be our top priority

Indicators of student mental health distress are alarming. Policies to improve and protect student mental health are urgently needed.

- A global analysis of 29 studies found that depressive and anxiety symptoms doubled during the pandemic, with 25% of youth experiencing depressive symptoms and 20% experiencing anxiety symptoms.¹³
- A study of eating disorder hospitalizations found a 120% increase.¹⁴
- According to national CDC surveillance data, emergency department visits for suspected suicide attempts in adolescent girls increased 51% in early 2021.¹⁵
- In December, the Surgeon General issued a public health advisory highlighting how the pandemic has exacerbated the unprecedented stresses young people already faced.¹⁶



¹³https://jamanetwork.com/journals/jamapediatrics/fullarticle/2782796

¹⁴https://publications.aap.org/pediatrics/article/148/4/e2021052201/179731/Medical-Admissions-Among-Adolescents-With-Eating

¹⁵ https://www.cdc.gov/mmwr/volumes/70/wr/mm7024e1.htm

¹⁶https://www.hhs.gov/sites/default/files/surgeon-general-youth-mental-health-advisory.pdf

School closures are harmful


"The toll of school closures and social isolation on children's mental health cannot be overstated and will require both immediate- and long-term investigation and action to fully assess and address the impact." 17

-Editorial from Journal of the American Medical Association Pediatrics, January 18, 2022

School closures were associated with:

- Negative mental health impacts for both parents and students¹⁸
- Considerable impacts across emotional, behavioural and restlessness/inattention problems¹⁹
- Marked rises in screen-time and social media use and reductions in physical activity¹⁹
- Increased obesity²⁰
- Learning loss²¹

Most students are falling behind, but students of color are faring worse.



Percent of an "average" year of learning gained by students in 2019–20 school year, where 100% is equivalent to historical matched scores over previous 3 years Source: Curriculum Associates

¹⁷https://jamanetwork.com/journals/jamapediatrics/fullarticle/2788076

¹⁸https://www.cdc.gov/mmwr/volumes/70/wr/pdfs/mm7011a1-H.pdf

¹⁹https://jamanetwork.com/journals/jamapediatrics/fullarticle/2788069

²⁰https://www.cdc.gov/mmwr/volumes/70/wr/mm7037a3.htm


²¹https://www.mckinsey.com/industries/public-and-social-sector/our-insights/covid-19-and-learning-loss-disparities-grow-and-students-need-help

There is no scientific justification for treating students differently based on pediatric vaccination rates or vaccination status

Low vaccination rates in children have been used to justify keeping children under restrictions, and some institutions are excluding children from important opportunities based on vaccination status.²²

These decisions fail to account for key scientific data

- True immunity rates are much higher than
 vaccination rates. A large proportion of children
 have developed immunity from COVID infection,
 which is at least as potent and durable as that from
 vaccination.^{23,24}
- Omicron transmits efficiently in both vaccinated and unvaccinated people.^{25,26} A person's vaccination status has little relevance to others.



²²https://www.calacademy.org/reopening

²³https://www.cdc.gov/mmwr/volumes/71/wr/mm7104e1.htm

²⁴https://www.nature.com/articles/s41590-021-01089-8

²⁵https://www.medrxiv.org/content/10.1101/2021.12.27.21268278v1.full.pdf

²⁶https://www.medrxiv.org/content/10.1101/2021.12.30.21268565v1.full.pdf

Focused protection for the vulnerable

The vulnerable must not be forgotten. Even with vaccines available, some people will remain at risk of severe disease from COVID infections.

"Focused protection" methods protect the vulnerable without widespread disruption to society or harms to healthy children.

If you think you are at elevated risk, discuss with your doctor. It is common for members of the general public to incorrectly estimate their personal risk. If you are in a very high-risk category:

- 1. Get fully vaccinated and boosted. Boosters greatly reduce the risk for the most vulnerable.
- 2. During periods of high transmission, limit your exposure by quarantining and avoiding indoor public spaces.
- 3. Use well-fitted N95 respirators. A properly-fitted N95 is highly effective at protecting the wearer, and does not rely on the behavior of others around you for protection.²⁷ High-quality one-way masking is more effective at protecting the vulnerable than universal use of low-quality masks.
- 4. Test right away if you develop respiratory symptoms, and seek early treatment if positive. Multiple effective treatments for all COVID variants now exist, and early treatment is highly effective at preventing severe outcomes of COVID-19.

Focused protection works. It's how we have managed other respiratory viruses for high-risk individuals for our entire lives.

Recommendations

Maintain in-person learning regardless of case counts and vaccination rates. Students' overall health is best supported by keeping daycares, pre-schools, and schools open.

De-escalate fear around getting COVID.

- Talk openly with children about how safe they are, and how well vaccination protects the adults in their lives.
- For children, COVID is a flu-like risk if unvaccinated and almost no danger if vaccinated.
- Encourage children, parents, and staff to see mild COVID infections as inevitable and not alarming.
- Encourage a booster dose for parents, caregivers and school employees if older or in higher-risk groups.

Apply focused protection measures to protect community members who remain at high risk.

Change the focus to supporting students' mental, emotional, and social health.

- Avoid escalating mask rules or other COVID policies. More restrictive policies increase fear & falsely convey that schools are unsafe. This increases harm to student mental health, which can have major detrimental effects.
- Do not treat vaccinated and unvaccinated children differently. Children are not a danger.
- Encourage extracurricular activities and social events without fear.
- Restore fully normal life and school for all children at the first opportunity.

Health is about more than the mere absence of COVID-19

It is time to appropriately balance risks to children's health

- Disruptions to normal living can never be harm-free
- Coronavirus is here to stay
- We cannot eliminate risk, but we *can* reduce it to levels we've always known how to live with

Reclaiming normal life for our kids is the best way to support and protect them

The New York Times

We Learned Our Lesson Last Year: Do Not Close Schools

Dec. 20, 2021

By Joseph G. Allen

Dr. Allen is an associate professor and director of the Healthy Buildings program at Harvard T.H. Chan School of Public Health. He is also the chair of the Lancet Covid-19 Commission Task Force on Safe Work, Safe School and Safe Travel.

We encourage you to read this article in the New York Times.²⁸ Dr. Allen's recommendations overlap completely with our own, and with those of many other infectious disease and public health experts.

"The risk of severe outcomes to kids from coronavirus infection is low, and the risks to kids from being out of school are high."

"We should make masking in schools voluntary rather than mandatory. Masking was a necessary inconvenience early on and in short stints was fine. But to think that two years of masking has no impact on socialization, learning and anxiety is shortsighted. Kids are resilient but not endlessly resilient."

"Schools should never close."

Appendix: data on student masking

Student masking is the most visible and controversial part of ongoing school COVID mitigations. The most important thing to remember is that the risk of severe disease from COVID-19 for healthy children has always been low, and in vaccinated children COVID is much less dangerous than the flu.

Well-controlled real-world studies have not demonstrated any clear benefit of masking students.

To be informative, studies on school mask usage should evaluate **effectiveness in real-world use**, and **must include a well-matched unmasked control group**.

Several studies meeting this criteria are available, and the results are consistent.

Mask Use and Ventilation Improvements to Reduce COVID-19 Incidence in Elementary Schools — Georgia, November 16–December 11, 2020

Jenna Gettings, DVM^{1,2,3}; Michaila Czarnik, MPH^{1,4}; Elana Morris, MPH¹; Elizabeth Haller, MEd¹; Angela M. Thompson-Paul, PhD¹; Catherine Rasberry, PhD¹; Tatiana M. Lanzieri, MD¹; Jennifer Smith-Grant, MSPH¹; Tiffiany Michelle Aholou, PhD¹; Ebony Thomas, MPH²; Cherie Drenzek, DVM²; Duncan MacKellar, DrPH¹

This CDC study found a 21% lower COVID incidence in schools that required mask use among students, but couldn't be sure the benefit was real. (In scientific terms, "not statistically significant.")²⁹





Evidence Summary

Coronavirus (COVID-19) and the use of face coverings in education settings

January 2022

This evaluation by the United Kingdom's Health Security Agency and Department for Education found an 11% reduction in student COVID cases with mask usage, but also couldn't be sure the benefit was real. (Not statistically significant.)³⁰

²⁹https://www.cdc.gov/mmwr/volumes/70/wr/pdfs/mm7021e1-H.pdf

³⁰https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/1044767/Evidence_summary - face_coverings.pdf

Academic studies confirm the results of government studies on school mask efficacy.

COVID-19 Mitigation Practices and COVID-19 Rates in Schools: Report on Data from Florida, New York and Massachusetts

"We do not find any correlations with mask mandates."31

Emily Oster, Rebecca Jack, Clare Halloran, John Schoof, Diana McLeod

Reported COVID-19 Incidence in Wisconsin High School Athletes in Fall 2020 6

Phillip Sasser, MD, MS; Timothy McGuine, PhD, LAT; Kristin Haraldsdottir, PhD; Kevin Biese, MA, LAT; Leslie Goodavish, PA; Bethany Stevens; Andrew M. Watson, MD, MS.

J Athl Train (2021)

"There were no significant associations between COVID-19 incidence and face mask use."32

Age-dependency of the Propagation Rate of Coronavirus Disease 2019 Inside School Bubble Groups in Catalonia, Spain

Sergio Alonso, PhD,* Enric Alvarez-Lacalle, PhD,* Martí Català, MSc,*† Daniel López, PhD,*
Iolanda Jordan, MD, PhD,द Juan José García-García, MD, PhD,§¶| Antoni Soriano-Arandes, MD, PhD,**
Uxue Lazcano, MSc,†† Pilar Sallés, MSc,‡‡ Marta Masats, MSc,‡‡ Julià Urrutia, MSc,‡‡ Anna Gatell, MD,§§
Ramon Capdevila, MD,¶¶ Pere Soler-Palacin, MD, PhD,** Quique Bassat, MD, PhD,¶|||||***††
and Clara Prats, PhD*†

In-school COVID transmission was the same in 4-5 year olds where masking was not used and in 6-7 year olds where masking was required.³³

³¹https://www.medrxiv.org/content/10.1101/2021.05.19.21257467v1.full

³²https://meridian.allenpress.com/jat/article/doi/10.4085/1062-6050-0185.21/466422/Reported-COVID-19-Incidence-in-Wisconsin-High

³³https://journals.lww.com/pidi/Fulltext/2021/11000/Age dependency of the Propagation Rate of.2.aspx

Many studies on school masking don't have appropriate controls.

These and other commonly cited studies don't have appropriate control groups and can't tell us anything about whether student masking is effective.

Prevalence and risk factors for in-school transmission of SARS-CoV-2 in Massachusetts K-I 2 public schools, 2020-202 I

Sandra B. Nelson, Caitlin M. Dugdale, Alyssa Bilinski, Duru Cosar, Nira R. Pollock, Andrea Ciaranello doi: https://doi.org/10.1101/2021.09.22.21263900

Association Between K-12 School Mask Policies and School-Associated COVID-19 Outbreaks — Maricopa and Pima Counties, Arizona, July-August 2021

Megan Jehn, PhD^{1,*}; J. Mac McCullough, PhD^{2,*}; Ariella P. Dale, PhD^{3,4}; Matthew Gue¹; Brian Eller⁵; Theresa Cullen, MD⁵; Sarah E. Scott, MD⁴

Pediatric COVID-19 Cases in Counties With and Without School Mask Requirements — United States, July 1–September 4, 2021

Samantha E. Budzyn, MPH1,2; Mark J. Panaggio, PhD3; Sharyn E. Parks, PhD1; Marc Papazian4; Jake Magid, MEng4; Lisa C. Barrios, DrPH1

"All reported classroom exposures were masked, so these results do not directly inform the impact of masking within classrooms." 34

This study used a control group, but did not control for vaccination rates and had additional serious flaws.³⁵ *The Atlantic* published a thorough critique with the conclusion "You can't learn anything about the effects of school mask mandates from this study."³⁶

In this study, the masked and unmasked schools were not compared for vaccination rates, and vaccination rates tend to be much higher in counties with mask requirements.³⁷ The authors state that regarding masks, "causation cannot be inferred."³⁸

³⁴https://www.medrxiv.org/content/10.1101/2021.09.22.21263900v1

³⁵https://www.cdc.gov/mmwr/volumes/70/wr/mm7039e1.htm

³⁶https://www.theatlantic.com/science/archive/2021/12/mask-quidelines-cdc-walensky/621035/

³⁷https://www.sfgate.com/california-politics/article/California-mask-mandate-omicron-16701224.php

³⁸https://www.cdc.gov/mmwr/volumes/70/wr/pdfs/mm7039e3-H.pdf

Focused protection should be applied to vulnerable children too

A very small sub-set of children have medical conditions that affect their immune systems such that they are ineligible for vaccination or are unlikely to respond to vaccination.

These children and their family members should follow the guidance of their medical team to reduce risk and may need to continue masking with a **high-quality**, **carefully fitted respirators** to protect against COVID and other respiratory viruses.

Proper respirator fit is crucial to maximizing protection, and can be done effectively for those in need of targeted protection. In contrast, untrained respirator use commonly results in poor fit and ineffective filtration.³⁹

Focused protection for these children can offer better protection than universal child masking, which has little to no efficacy in well-controlled real-world studies.

No study has shown benefit from universal use of respirators in children, and the potential for harm is large.

School masking summary

Student masking has no scientifically established benefit in real-world use.

- When an intervention's real-world benefits are too small to measure, we should feel comfortable ending its use.
- Potential harms from long-term masking are poorly understood, and reports on mask removal have noted social and emotional benefits for students.⁴⁰

Moving to mask-optional policies - and increasing school-based support and interventions for children - will be crucial for student mental health.

• We recommend an immediate end to mandatory masking. Anyone who wants or needs to continue using a mask is free to do so.

All analyses and recommendations presented here represent the authors' combined perspective, and do not represent the view of any of our employers or institutions.

You can download a copy of the toolkit here:



Version notes 2-18-2022:

Added Dr. González-Dambrauskas to our team.

Clarified vaccine recommendation on slide 5, as some people do not require further doses

Updated vaccine efficacy data in slide 10

Added slide 13

Updated slide 23 to call for immediate end to mandatory student masking



This work is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.